This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) <u>A cyclopenta</u>[a]naphthalene derivative of the generalcompound of formula I, II, III, IV or V

in which:

- A is in each case, independently of one another, 1,4-phenylene, in which =CH- may be replaced once or twice by =N-, and which may be monosubstituted to tetrasubstituted, independently of one another, by halogen (-F, -Cl, -Br, -I), -CN, -CH₃, -CH₂F, -CHF₂, -CF₃, -OCH₃, -OCH₂F, -OCHF₂ or -OCF₃, 1,4-cyclohexylene, 1,4-cyclohexenylene or 1,4-cyclohexadienylene, in which -CH₂- may in each case be replaced once or twice, independently of one another, by -O- or -S- in such a way that heteroatoms are not linked directly, and which all may be monosubstituted or polysubstituted by halogen;
- Z is in each case, independently of one another, a single bond, a double bond, $-CF_2O_-$, $-OCF_2-$, $-CH_2CH_2-$, $-CF_2CF_2-$, $-CF_2-CH_2-$, $-CH_2-CF_2-$, $-CH_2-CH_2-$, $-CH_2-$, $-CH_$

- R is hydrogen, an alkyl, alkoxy, alkenyl or alkynyl radical having from 1 to 15 or 2 to 15 carbon atoms respectively which is unsubstituted, monosubstituted by -CN or -CF₃ or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may each, independently of one another, be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in such a way that heteroatoms are not linked directly, halogen, -CN, -SCN, -NCS, -SF₅, -CF₃, -OCF₃, -OCH₂ or -OCH₂F;
- X¹, X^{1a}, X^{1b}, X² and X³ are each, independently of one another, hydrogen, an alkyl, alkoxy, alkenyl or alkynyl radical having from 1 to 15 or 2 to 15 carbon atoms respectively which is unsubstituted or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may each, independently of one another, be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in such a way that heteroatoms are not linked directly, halogen, -CN, -SF₅, -SCN, -NCS, -CF₃, -OCF₃, -OCHF₂ or -OCH₂F;
- E¹ and E² are each, independently of one another, hydrogen, an alkyl, alkoxy, alkenyl or alkynyl radical having from 1 to 15 or 2 to 15 carbon atoms respectively which is unsubstituted, monosubstituted by -CN or -CF₃ or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may each, independently of one another, be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in such a way that heteroatoms are not linked directly, halogen, -CN, -SCN, -NCS, -SF₅, -CF₃, -OCF₃, -OCH₂, -OCH₂F or -(-Z-A-)_n-R; and

n is 0, 1, 2 or 3;

where

in the formula I, ring B does not stand for the formula \mathbf{c} if X^1 , X^2 and X^3 are simultaneously hydrogen, and

in the formula I, ring B does not stand for the formula e if X^2 and X^3 are simultaneously fluorine or if E^4 is hydrogen and simultaneously X^4 and X^2 are fluorine.

2. (Currently Amended) <u>A cyclopenta</u>Cyclopenta[a]naphthalene derivativecompound according to Claim 1, whereineharacterised in that

- (Currently Amended) <u>A cyclopenta</u>Cyclopenta[a]naphthalene derivativecompound according to Claim 1, characterised in that wherein Z is a single bond, -CF₂O-, -OCF₂-, -CF₂CF₂-, -CH=CH-, -CF=CH-, -CH=CF- or -CF=CF-.
- 4. (Currently Amended) <u>A cyclopentaCyclopenta[a]naphthalene</u> derivative<u>compound</u> according to claim 1, characterised in that wherein

- (Currently Amended) A cyclopenta Cyclopenta [a] naphthalene
 derivative compound according to claim 1, wherein characterised in that
 R is an alkyl radical, alkoxy radical or alkenyl radical having from 1 to 7 or
 2 to 7 carbon atoms respectively.
- 6. (Currently Amended) A cyclopenta Cyclopenta [a] naphthalene derivative compound according to claim 1, wherein characterised in that E¹ and E², independently of one another, are hydrogen, an alkyl radical or alkoxy radical having from 1 to 7 carbon atoms, fluorine, chlorine or -(-Z-A-)_n-R, in which n is 1, Z is a single bond, A is 1,4-cyclohexylene or optionally mono- or poly-fluorine-substituted 1,4-phenylene, and R is alkyl, alkoxy or alkenyl having from 1 to 7 or 2 to 7 carbon atoms respectively.
- 7. (Currently Amended) A cyclopenta Cyclopenta [a] naphthalene derivative compound according to claim 1, wherein characterised in that at least one of X¹, X² and X³ or at least one of X^{1a}, X^{1b}, X² and X³ is -CF₃, fluorine or chlorine.
- 8. (Currently Amended) <u>A cyclopenta</u>Cyclopenta[a]naphthalene derivative compound according to claim 1, wherein characterised in that X^1 , X^2 and X^3 or X^{1a} , X^{1b} , X^2 and X^3 are -CF₃, fluorine and/or chlorine.
- 9. (Currently Amended) <u>A cyclopenta</u>Cyclopenta[a]naphthalene derivative compound according to claim 1, whereineharaeterised in that

 X^1 , X^2 and X^3 or X^{1a} , X^{1b} , X^2 and X^3 are fluorine.

- 10. (Canceled)
- 11. (Currently Amended) <u>A liquid-Liquid-crystalline medium comprising at least two liquid-crystalline compounds</u>, <u>characterised in that it comprises wherein</u> at least one <u>liquid-crystalline compound is a cyclopenta[a]naphthalene derivative compound</u> according to claim 1.
- 12. (Original) <u>An electro Electro</u>-optical display element containing a liquid-crystalline medium according to Claim 11.
- 13. (New) A cyclopenta[a]naphthalene compound of formula I, II, III, IV or V

$$E^{\frac{1}{2}}$$

$$A^{\frac{1}{2}}$$

in which:

A is in each case, independently of one another, 1,4-phenylene, in which =CH- may be replaced once or twice by =N-, and which may be monosubstituted to tetrasubstituted, independently of one another, by halogen (-F, -Cl, -Br, -I), -CN, -CH₃, -CH₂F, -CHF₂, -CF₃, -OCH₃, -OCH₂F, -OCHF₂ or -OCF₃, 1,4-cyclohexylene, 1,4-cyclohexenylene

or 1,4-cyclohexadienylene, in which -CH₂- may in each case be replaced once or twice, independently of one another, by -O- or -S- in such a way that heteroatoms are not linked directly, and which all may be monosubstituted or polysubstituted by halogen;

- Z is in each case, independently of one another, a single bond, a double bond, $-CF_2O_-$, $-OCF_2-$, $-CH_2CH_2-$, $-CF_2CF_2-$, $-CF_2-CH_2-$, $-CH_2-CF_2-$, $-CH_2-CH_2-$, $-CH_2-$, $-CH_$
- R is hydrogen, an alkyl, alkoxy, alkenyl or alkynyl radical having from 1 to 15 or 2 to 15 carbon atoms respectively which is unsubstituted, monosubstituted by -CN or -CF₃ or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may each, independently of one another, be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in such a way that heteroatoms are not linked directly, halogen, -CN, -SCN, -NCS, -SF₅, -CF₃, -OCF₃, -OCHF₂ or -OCH₂F;
- X¹, X^{1a}, X^{1b}, X² and X³ are each, independently of one another, hydrogen, an alkyl, alkoxy, alkenyl or alkynyl radical having from 1 to 15 or 2 to 15 carbon atoms respectively which is unsubstituted or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may each, independently of one another, be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in such a way that heteroatoms are not linked directly, halogen, -CN, -SF₅, -SCN, -NCS, -CF₃, -OCF₃, -OCHF₂ or -OCH₂F;
- E¹ and E² are each, independently of one another, hydrogen, an alkyl, alkoxy, alkenyl or alkynyl radical having from 1 to 15 or 2 to 15 carbon atoms respectively which is unsubstituted, monosubstituted by -CN or -CF₃ or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may each, independently of one another, be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in

such a way that heteroatoms are not linked directly, halogen, -CN, -SCN, -NCS, -SF₅, -CF₃, -OCF₃, -OCH₂F, -OCH₂F or -(-Z-A-)_n-R; and

n is 0, 1, 2 or 3;

where

in the formula I, ring B does not stand for the formula \mathbf{c} if X^1 , X^2 and X^3 are simultaneously hydrogen,

in formula I, ring B does not stand for formula e if X^2 and X^3 are simultaneously fluorine or if E^1 is hydrogen and simultaneously X^1 and X^2 are fluorine and

at least one of X^1 , X^2 and X^3 or at least one of X^{1a} , X^{1b} and X^2 and X^3 is $-CF_3$, fluorine and/or chlorine.

14. (New) A cyclopenta[a]naphthalene compound according to Claim 13, wherein

- 15. (New) A cyclopenta[a]naphthalene compound according to Claim 13, wherein Z is a single bond, -CF₂O-, -OCF₂-, -CF₂CF₂-, -CH=CH-, -CF=CH-, -CH=CF- or -CF=CF-.
- 16. (New) A cyclopenta[a]naphthalene compound according to claim 13, wherein

A is P ,

- 17. (New) A cyclopenta[a]naphthalene compound according to claim 13, wherein R is an alkyl radical, alkoxy radical or alkenyl radical having from 1 to 7 or 2 to 7 carbon atoms respectively.
- 18. (New) A cyclopenta[a]naphthalene compound according to claim 13, wherein E^1 and E^2 , independently of one another, are hydrogen, an alkyl radical or alkoxy radical having from 1 to 7 carbon atoms, fluorine, chlorine or -(-Z-A-)_n-R, in which n is 1, Z is a single bond, A is 1,4-cyclohexylene or optionally mono- or poly-fluorine-substituted 1,4-phenylene, and R is alkyl, alkoxy or alkenyl having from 1 to 7 or 2 to 7 carbon atoms respectively.
- 19. (New) A liquid-crystalline medium comprising at least two liquid-crystalline compounds, wherein at least one liquid-crystalline compound is a cyclopenta[a]naphthalene derivative according to claim 13.

20. (New) An electro-optical display element containing a liquid-crystalline medium according to Claim 19.